

Artificial Intelligence

A Course About Foundations

*Symbolic representation and inference:
the intuitive idea*

Marco Piastra

An Aside: Syntax and Semantics

Symbolic Calculus

- *Solving* quadratic equations

$$x^2 + ax + b = 0$$

$$x^2 + 2(a/2)x + a^2/4 - a^2/4 + b = 0$$

$$(x + a/2)^2 - a^2/4 + b = 0$$

$$(x + a/2)^2 = a^2/4 - b$$

$$x = -a/2 \pm (a^2/4 - b)^{1/2}$$

A sequence of steps: at each step a *transformation rule* is applied

Symbolic Calculus

- *Solving* quadratic equations

$$x^2 + ax + b = 0$$

$$x^2 + 2(a/2)x + a^2/4 - a^2/4 + b = 0$$

$$(x + a/2)^2 - a^2/4 + b = 0$$

$$(x + a/2)^2 = a^2/4 - b$$

$$x = -a/2 \pm (a^2/4 - b)^{1/2}$$

A sequence of steps: at each step a *transformation rule* is applied

From start to end

Start point: a premise (*we assume the truth of something*)

End point: a conclusion (*we state that something else must also be true*)

(*both points are selected by us*)

Symbolic Calculus

- *Solving* quadratic equations

$$x^2 + ax + b = 0$$

$$x^2 + 2(a/2)x + a^2/4 - a^2/4 + b = 0$$

$$(x + a/2)^2 - a^2/4 + b = 0$$

$$(x + a/2)^2 = a^2/4 - b$$

$$x = -a/2 \pm (a^2/4 - b)^{1/2}$$

A sequence of steps: at each step a *transformation rule* is applied

From start to end

Start point: a premise (*we assume the truth of something*)

End point: a conclusion (*we state that something else must also be true*)

(*both points are selected by us*)

Symbolic Calculus

- *Solving* quadratic equations

$$x^2 + ax + b = 0$$

$$x^2 + 2(a/2)x + a^2/4 - a^2/4 + b = 0$$

$$(x + a/2)^2 - a^2/4 + b = 0$$

$$(x + a/2)^2 = a^2/4 - b$$

$$x = -a/2 \pm (a^2/4 - b)^{1/2}$$

A sequence of steps: at each step a *transformation rule* is applied

From start to end

Start point: a premise (*we assume the truth of something*)

End point: a conclusion (*we state that something else must also be true*)

(both points are selected by us)

Sequence of steps

Each transformation rule is based on a *semantic equivalence*

Each step must be *correct*, in the above sense

Symbolic Reasoning

Symbolic descriptions can be *abstract*

- Symbolic descriptions have *abstraction* capabilities:
for instance, many linguistic phenomena are *systemic*
(their structural complexity goes beyond a simple *pattern-matching*)

Someone may understand English or not.

But no human being can understand the sentence:

*"Sally **likes** Harry"*

without being able to understand:

*"Harry **likes** Sally"*

or any other sentences of the kind:

*"X **likes** Y"*

where X and Y can be any nouns or definite descriptions:

*"Ronald's girlfriend **likes** the cat that Linda brought home yesterday"*

(freely adapted from [Fodor e Phylyshyn, 1988])

Reasoning and schemas: *syllogisms*

Many (intuitively) valid arguments obey an abstract schema

All (<i>humans</i>) are (<i>mortals</i>)	
All (<i>Greeks</i>) are (<i>humans</i>)	hence
<hr/>	
All (<i>Greeks</i>) are (<i>mortals</i>)	

Abstract schema:

All H are M	
All G are H	hence
<hr/>	
All G are M	

Reasoning and schemas: *syllogisms*

Many (intuitively) valid arguments obey an abstract schema

All (*humans*) are (*mortals*) hence

All (*Greeks*) are (*humans*)

All (*Greeks*) are (*mortals*)

Abstract schema:

All **H** are **M** hence

All **G** are **H**

All **G** are **M**

CAUTION!

The position of the line IS relevant:
in this case the schema does not work

Reasoning and schemas: *syllogisms*

Many (intuitively) valid arguments obey an abstract schema

All (<i>humans</i>) are (<i>mortals</i>)	
All (<i>Greeks</i>) are (<i>mortals</i>)	hence
<hr/>	
All (<i>Greeks</i>) are (<i>humans</i>)	

Abstract schema:

All H are M	
All G are M	hence
<hr/>	
All G are H	

CAUTION!

*The ordering of sentences IS relevant:
in this case the schema does not work*

Reasoning and schemas: *syllogisms*

Many (intuitively) valid arguments obey an abstract schema

All (<i>humans</i>) are (<i>mortals</i>)	
All (<i>Greeks</i>) are (<i>humans</i>)	hence
<hr/>	
All (<i>Greeks</i>) are (<i>mortals</i>)	

Abstract schema:

All H are M	
All G are H	hence
<hr/>	
All G are M	

The validity of schemas does not depend on *meaning*:

All (<i>enchanted frogs</i>) are (<i>princes</i>)	
All (<i>princes</i>) are (<i>young and beautiful</i>)	hence
<hr/>	
All (<i>enchanted frogs</i>) are (<i>young and beautiful</i>)	

*Same schema,
different impression*

Fallacies (*paralogisms*)

Wrong sequence:

All (*humans*) are (*mortals*)

All (*Greeks*) are (*mortals*)

All (*Greeks*) are (*humans*)

*The last two sentences
have been switched*

Referential ambiguities:

(*Nothing*) is better than (*eternal happiness*)

(*One ham sandwich*) is better than (*nothing*)

(*One ham sandwich*) is better than (*eternal happiness*)

‘Obscure’ subtleties (obscure for now):

All (*enchanted frogs*) are (*princes*)

All (*enchanted frogs*) are (*young and beautiful*)

There is an (*enchanted frog*) which is (*a young and beautiful princes*)

What do we mean by “all”? Do we need the existence of at least one specimen to say “all”?

In such case, the schema would be valid

(*in formal logic it is not, as we will see*)

What is the purpose of *symbolic* logic?

*To distinguish correct reasoning
from incorrect reasoning*

What is the purpose of *symbolic* logic?

*To distinguish correct reasoning
from incorrect reasoning
by the **formal, symbolic** structure alone*

Truth and Possible Worlds: the quest for formal semantics

What is *true*?

- A world of cats

<i>likes</i>	Tom	Spot	Kitty	Felix
Tom	x			
Spot	x		x	
Kitty		x	x	
Felix			x	

- Sentences about this world

“Spot likes Tom” and “Tom does not like Spot”

“Tom likes himself”

“Kitty likes Spot” and “Spot likes Kitty”

“Kitty likes herself”

“Felix likes Kitty”

*All these sentences are **true**, in the world above*

What is *true*?

- A world of *cats*

<i>likes</i>	Tom	Spot	Kitty	Felix
Tom	x			
Spot	x		x	
Kitty		x	x	
Felix			x	

- Sentences about this world

“Spot likes Felix”

“Spot likes himself”

“Kitty does not like herself”

“Felix likes Spot”

*All these sentences are **false**, in the world above*

What is *true*?

- A world of *cats*

<i>likes</i>	Tom	Spot	Kitty	Felix
Tom	x			
Spot	x		x	
Kitty		x	x	
Felix			x	

- Sentences about this world (with *generalization*)

“Every cat likes a cat” is **true**

“Every cat likes another cat” is **false**

“Tom does not like any other cat” is **true**

“Kitty is liked by every cat” is **false**

“Every cat that likes another cat also likes her/himself” is ?

How to make a sentence *true*?

- Consider the sentence

“Kitty likes Spot” and “Spot likes Tom”

It can be made true in many different ways

“It may be true in many different *possible worlds*”

Examples (other *possible worlds* of cats):

<i>likes</i>	Tom	Spot	Kitty	Felix
Tom				
Spot	x			
Kitty		x		
Felix				

<i>likes</i>	Tom	Spot	Kitty	Felix
Tom	x			
Spot	x		x	
Kitty		x	x	
Felix			x	

<i>likes</i>	Tom	Spot	Kitty	Felix
Tom	x	x	x	x
Spot	x	x	x	x
Kitty	x	x	x	x
Felix	x	x	x	x

How to make a sentence *true*?

- **Consider the sentence**

“Kitty likes Spot” and “Kitty does not like Spot”

There is no way to *make it true*

“There is no *possible world* where this can be true”

Sentences may be related

- Three sentences

- 1) "Every cat that likes Kitty likes Spot as well"
- 2) "Tom likes Kitty"
- 3) "Tom likes Spot"

There is no way to make true sentences 1) and 2) without making sentence 3) true as well...
(just give it a try...)

This is just a small subset of all 65,536 possible worlds ...

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x			
Kitty		x		
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x	x	x	
Kitty		x	x	
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom	x			
Spot			x	
Kitty		x		
Felix				x

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x	x	x	x
Kitty			x	
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom				
Spot				
Kitty			x	
Felix				

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	
Spot	x			
Kitty		x		
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom		x	x	
Spot	x	x	x	
Kitty	x	x		
Felix				

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	
Spot	x		x	
Kitty		x		
Felix		x		x

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	x
Spot		x		
Kitty			x	
Felix				x

likes	Tom	Spot	Kitty	Felix
Tom			x	
Spot	x			
Kitty		x		
Felix		x	x	

Sentences may be related

- Three sentences

1) "Every cat that likes Kitty likes Spot as well"

2) "Tom likes Kitty"

3) "Tom likes Spot"

There is no way to make true sentences 1) and 2) without making sentence 3) true as well...

(just give it a try...)

Sentence 1) is **true** in these worlds

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x			
Kitty		x		
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x	x	x	
Kitty		x	x	
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	
Spot	x			
Kitty		x		
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom		x	x	
Spot	x	x	x	
Kitty	x	x		
Felix				

likes	Tom	Spot	Kitty	Felix
Tom	x			
Spot			x	
Kitty		x		
Felix				x

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x	x	x	x
Kitty			x	
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom				
Spot				
Kitty			x	
Felix				

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	
Spot	x		x	
Kitty		x		
Felix		x		x

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	x
Spot		x		
Kitty			x	
Felix				x

likes	Tom	Spot	Kitty	Felix
Tom			x	
Spot	x			
Kitty		x		
Felix		x	x	

Sentences may be related

■ Three sentences

1) "Every cat that likes Kitty likes Spot as well"

2) "Tom likes Kitty"

3) "Tom likes Spot"

There is no way to make true sentences 1) and 2) without making sentence 3) true as well...

(just give it a try...)

*Sentence 1) is **true** in these worlds*

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x			
Kitty		x		
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x	x	x	
Kitty		x	x	
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom	x			
Spot			x	
Kitty		x		
Felix				x

likes	Tom	Spot	Kitty	Felix
Tom				
Spot	x	x	x	x
Kitty			x	
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom				
Spot				
Kitty			x	
Felix				

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	
Spot	x			
Kitty		x		
Felix		x	x	

likes	Tom	Spot	Kitty	Felix
Tom		x	x	
Spot	x	x	x	
Kitty	x	x		
Felix				

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	
Spot	x		x	
Kitty		x		
Felix		x		x

likes	Tom	Spot	Kitty	Felix
Tom	x	x	x	x
Spot		x		
Kitty			x	
Felix				x

likes	Tom	Spot	Kitty	Felix
Tom			x	
Spot	x			
Kitty		x		
Felix		x	x	


*Sentence 2) is **true** in these worlds*

Sentences may be related

- Three sentences

- 1) "Every cat that likes Kitty likes Spot as well"
 - 2) "Tom likes Kitty"
-
- 3) "Tom likes Spot"

There is no way to make true sentences 1) and 2) without making sentence 3) true as well...
(just give it a try)



Sentences may be related

- **Three sentences**

1) "Every cat that likes Kitty likes Spot as well"

2) "Tom likes Kitty"

3) "Tom likes Spot"

There is no way to make true sentences 1) and 2) without making sentence 3) true as well...

(just give it a try)

Questions:

Was this just coincidence?

How many possible worlds must we consider, to be sure?

Sentences may be related

■ Three sentences

1) "Every cat that likes Kitty likes Spot as well"

2) "Tom likes Kitty"

3) "Tom likes Spot"

There is no way to make true sentences 1) and 2) without making sentence 3) true as well...

(just give it a try)

Questions:

Was this just coincidence?

How many possible worlds must we consider, be sure?

Hint:

All of them.